

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	23899	((router switch catalyst (device near2 forwarding) device routing) and ((configuration profile content composition layout config) same (current running saved) same (potential candidate test\$6 new possible propable developing unrealized) same (differen\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:24
S2	10790	S1 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:25
S3	1929	((router switch catalyst (device near2 forwarding) device routing) and ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (differen\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:26
S4	813	S3 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:26
S5	7783	((router switch catalyst (device near2 forwarding) device routing) same ((configuration profile content composition layout config) same (current running saved) same (potential candidate test\$6 new possible propable developing unrealized) same (differen\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:26

S6	473	((router switch catalyst (device near2 forwarding) device routing) same ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (differen \$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:27
S7	206	S6 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:27
S8	283	((router switch catalyst (device near2 forwarding) device routing) same ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (load\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:36
S9	114	S8 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:36
S10	248	((router switch catalyst firewall (device near2 forwarding) device routing) same ((configuration profile content composition layout config) with (current running saved) with (potential candidate test\$6 new possible propable developing unrealized) with (compar \$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:39
S11	96	S10 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/12 17:40
S12	1	"6349306".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 12:53
S13	0	((sample same (cisco with (config))))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 13:56

S14	646	((cisco with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 13:57
S15	272	S14 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 13:57
S16	4	((example sample) same (cisco with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:00
S17	0	S16 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:01
S18	932	((example sample) same ((cisco router switch catalyst) with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:02
S19	522	((example sample) with ((cisco router switch catalyst) with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:02
S20	162	S19 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:03
S21	38	((example sample) with ((cisco router catalyst) with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:04
S22	11	S21 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:04
S23	0	((template example sample) with ((cisco router catalyst) with (config\$5 with running)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:06
S24	85	((template example sample) with ((cisco router catalyst) with (config\$5)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:06
S25	34	S24 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:06

S26	2	((template example sample) with ((cisco router catalyst) with (CLI)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:14
S27	0	S26 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:14
S28	5	((template example sample) with ((cisco router catalyst) with (statement)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:16
S29	4	S28 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:16
S30	0	((template example sample) with ((cisco router firewall) with (statement)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:16
S31	61	((template example sample) with ((cisco router firewall) with (config\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:16
S32	24	S31 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:17
S33	3	((template example sample) with ((cisco router firewall) with (ios)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:20
S34	0	S33 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:20
S35	456	((template example sample) with ((ios)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:22
S36	212	S35 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:22
S37	456	(cisco near2 ((ios)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:26

S38	176	S37 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:26
S39	15	((cisco near2 (ios)) same (CLI))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:28
S40	0	S39 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:28
S41	53	((cisco near2 (ios)) and (CLI))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:30
S42	7	S41 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 14:30
S43	0	((cisco near2 (ios)) same (permission))and (CLI))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:00
S44	0	((cisco near2 (ios)) same (permission)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:01
S45	32	((cisco near2 (ios)) and (permission)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:01
S46	14	S45 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:01
S47	4	((cisco near2 (ios)) and (permission same (username id))))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:03
S48	3	S47 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:04
S49	318	((config\$6) same (permission same (username id))))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:06

S50	48	((config\$6) with (permission with (username id))))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:07
S51	9	S50 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:07
S52	76154	((config\$6) with (access permission login)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:14
S53	1262	((config\$6) with (access permission login) with depend \$6))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:14
S54	0	((config\$6) with (access permission login) with (depend\$6) with (username)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:14
S55	0	((config\$6) with (access permission login) with (depend\$6)) same (username)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:14
S56	374	((config\$6) with (access permission login) with (depend\$6)) same (user name)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:15
S57	58	((config\$6) with (access permission login) with (depend\$6)) same (user name))) and (router)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:15
S58	15	S57 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:15
S59	39	((router near2 config\$6) with (access permission login) with (depend\$6 based))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:18
S60	5	S59 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:18
S61	136	((router near2 config\$6) same ((access permit\$6 permission) with (login (logged near21 in) username user\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:22

S62	30	S61 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:22
S63	138	((router near2 config\$6) same ((access permit\$6 permission) with (login (logged near21 in) username user\$6 admin\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:26
S64	138	((router near2 config\$6) same ((access permit\$6 permission) with (login (logged near2 in) username user\$6 admin\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:27
S65	30	S64 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:27
S66	135	((router near2 config\$6) same ((access permit\$6 permission) with (user)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:28
S67	30	S66 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:28
S68	18391	((config\$6) with ((access permit\$6 permission) with (user)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:29
S69	139	(router with (config\$6) with ((access permit\$6 permission) with (user)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:29
S70	49	S69 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:30
S71	2785	(router with ((access permit \$6 authenticat\$6 permission) with (user\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:33
S72	146	(router with (configuration) with ((access permit\$6 authenticat\$6 permission) with (user\$6)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:33
S73	34	S72 and (@ad<"20001201" @rlad<"20001201")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:33

S74	149	(router with (configuration) with ((access permit\$6 privilege\$6 authenticat\$6 permission) with (user\$6)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:39
S75	34	S74 and (@ad<"20001201" @rlad<"20001201")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 18:39

3/13/08 9:16:37 PM**C:\Documents and Settings\tduong7\My Documents\EAST\Workspaces\09734324U3 - Comparing configuration information for a data forwarding device.wsp**